

Literaturliste

Eigene Forschung

- Kim, J., Ko, M., Lee, J., & Kim, Y. (2023). The effects of a mobile-based multi-domain intervention on cognitive function among older adults. *Preventive Medicine Reports*, 32, 102165.
- Kim, J., Shin, E., Han, K., Park, S., Youn, J. H., Jin, G., & Lee, J.-Y. (2021). Efficacy of smart speaker-based metamemory training in older adults: Case-control cohort study. *Journal of Medical Internet Research*, 23(2), e20177.
- Park, S., Ryu, S.-H., Yoo, Y., Yang, J.-J., Kwon, H., Youn, J.-H., Lee, J.-M., Cho, S.-J., & Lee, J.-Y. (2018). Neural predictors of cognitive improvement by multi-strategic memory training based on metamemory in older adults with subjective memory complaints. *Scientific Reports*, 8(1), 1095. <https://doi.org/10.1038/s41598-018-19390-2>
- Youn, J.-H., Park, S., Lee, J.-Y., Cho, S.-J., Kim, J., & Ryu, S.-H. (2020). Cognitive Improvement in Older Adults with Mild Cognitive Impairment: Evidence from a Multi-Strategic Metamemory Training. *Journal of Clinical Medicine*, 9(2).
- Youn, J.-H., Ryu, S.-H., Lee, J.-Y., Park, S., Cho, S.-J., Kwon, H., Yang, J.-J., Lee, J.-M., Lee, J., Kim, S., Livingston, G., & Yoon, D. H. (2019). Brain structural changes after multi-strategic metamemory training in older adults with subjective memory complaints: A randomized controlled trial. *Brain and Behavior*, 9(5), e01278. <https://doi.org/https://doi.org/10.1002/brb3.1278>

Weitere Literatur

- Baik, S., Jung, T., Kim, Y., et al. (2024). Effects of home-based computerized cognitive training in community-dwelling adults with mild cognitive impairment: A randomized controlled trial. *IEEE Journal of Translational Engineering in Health and Medicine*, 12, Article 3317189. <https://doi.org/10.1109/JTEHM.2023.3317189>
- Barban, F., Annicchiarico, R., Pantelopoulos, S., et al. (2016). Protecting cognition from aging and Alzheimer's disease: A computerized cognitive training combined with reminiscence therapy. *International Journal of Geriatric Psychiatry*, 31(3), 340–348. <https://doi.org/10.1002/gps.4328>
- Breton, A., Casey, D., & Arnaoutoglou, N. A. (2019). Cognitive tests for the detection of mild cognitive impairment (MCI), the prodromal stage of dementia: Meta-analysis of diagnostic accuracy studies. *International Journal of Geriatric Psychiatry*, 34(2), 233–242. <https://doi.org/10.1002/gps.5016>
- Callisaya, M., Santhirasagar, R., Fisk, K., et al. (2021). A novel cognitive-motor exercise program delivered via a tablet to improve mobility in older people with cognitive impairment—StandingTall Cognition and Mobility randomized controlled trial. *Experimental Gerontology*, 152, 111434. <https://doi.org/10.1016/j.exger.2021.111434>

- Carvalho, C. D., Dias, A., Henriques, T., et al. (2025). Digital cognitive training for functionality in mild cognitive impairment: A randomized controlled clinical trial. *GeroScience*, 47, 5111–5121. <https://doi.org/10.1007/s11357-024-01464-x>
- Cavallo, M., Hunter, E., Vita, A., et al. (2016). Computerized structured cognitive training in patients affected by early-stage Alzheimer’s disease is feasible and effective: A randomized controlled study. *Archives of Clinical Neuropsychology*, 31(8), 868–876. <https://doi.org/10.1093/arclin/acw072>
- Chan, A. T. C., Ip, R. T. F., Tran, J. Y. S., Chan, J. Y. C., & Tsoi, K. K. F. (2024). *Computerized cognitive training for memory functions in mild cognitive impairment or dementia: A systematic review and meta-analysis*. *npj Digital Medicine*, 7(1), Article 1. <https://doi.org/10.1038/s41746-023-00987-5>.
- Chen, Q., Yang, H., Rooks, B., Anthony, M., Zhang, Z., Tadin, D., & Green, C. S. (2020). Autonomic flexibility reflects learning and associated neuroplasticity in old age. *Human Brain Mapping*, 41(13), 3608–3619. <https://doi.org/10.1002/hbm.25034>
- Clarivate. (2020). *Embase vs MEDLINE: A frequently asked questions guide*. <https://clarivate.com/blog/embase-vs-medline-faq/>
- Çınar, N., & Şahiner, N. (2020). Effects of the online computerized cognitive training program BEYNEX on cognitive tests of individuals with subjective cognitive impairment and Alzheimer’s disease on rivastigmine therapy: A randomized controlled trial. *Turkish Journal of Medical Sciences*, 50(1), 231–238. <https://doi.org/10.3906/sag-1905-244>
- DGN, & DGPPN. (2023). *S3-Leitlinie Demenzen, Version 4.0* (AWMF-Register-Nr. 038-013).
- Diaz Baquero, A. A., Franco-Martín, M. A., Parra Vidales, E., et al. (2022). The effectiveness of GRADIOR: A neuropsychological rehabilitation program for people with mild cognitive impairment and mild dementia—Results of a randomized controlled trial after 4 and 12 months of treatment. *Journal of Alzheimer’s Disease*, 86, 711–727. <https://doi.org/10.3233/JAD-215350>
- Ding, Z., Leung, P. Y., Lee, T. L., & Chan, A. S. (2023). Effectiveness of lifestyle medicine on cognitive functions in mild cognitive impairments and dementia: A systematic review on randomized controlled trials. *Ageing Res Rev*, 86, 101886. <https://doi.org/10.1016/j.arr.2023.101886>
- Dlugaj, M., Weimar, C., Wege, N., Verde, P. E., Gerwig, M., Dragano, N., Moebus, S., Jöckel, K.-H., Erbel, R., & Siegrist, J. (2010). Prevalence of mild cognitive impairment and its subtypes in the Heinz Nixdorf Recall study cohort. *Dementia and Geriatric Cognitive Disorders*, 30(4), 362–373.
- Duff, K., Horn, J. D., Foster, N. L., et al. (2022). Computerized cognitive training in amnesic mild cognitive impairment: A randomized clinical trial. *Journal of Geriatric Psychiatry and Neurology*, 35(3), 400–409. <https://doi.org/10.1177/08919887211006472>
- Fiatarone Singh, M. A., Gates, N., Saigal, N., et al. (2014). The study of mental and resistance training (SMART) study—Resistance training and/or cognitive training in mild cognitive impairment: A randomized, double-blind, double-sham controlled trial. *Journal of the American Medical Association*, 15(12), 873–880. <https://doi.org/10.1016/j.jamda.2014.09.010>
pubmed.ncbi.nlm.nih.gov

- Ferizaj, D., Stamm, O., Perotti, L., et al. (2025). Preliminary effects of mobile computerized cognitive training in adults with mild cognitive impairment: Interim analysis of a randomized controlled trial. *BMC Psychology*, 13, Article 202. <https://doi.org/10.1186/s40359-025-02458-w>
- Fritz, N. E., Cheek, F. M., & Nichols-Larsen, D. S. (2015). Motor-cognitive dual-task training in neurologic disorders: A systematic review. *Journal of Neurologic Physical Therapy*, 39(3), 142–153.
- Gaugler, J., James, B., Johnson, T., Marin, A., & Weuve, J. (2019). 2019 Alzheimer's disease facts and figures. *Alzheimer's & Dementia*, 15(3), 321–387.
- Givon Schaham, N., Buckman, Z., & Rand, D. (2024). TECH preserves global cognition of older adults with mild cognitive impairment compared with a control group: A randomized controlled trial. *Aging Clinical and Experimental Research*, 36, Article 1. <https://doi.org/10.1007/s40520-023-02659-6>
- Gooding, A. L., Streeter, T. B., Boyd, L. R., et al. (2016). Comparing three methods of computerised cognitive training for older adults with subclinical cognitive decline: A randomized controlled trial. *Neuropsychological Rehabilitation*, 26(5–6), 810–821. <https://doi.org/10.1080/09602011.2015.1118389>
- Graessel, E., Jank, M., Scheerbaum, P., et al. (2024). Individualised computerised cognitive training (iCCT) for community-dwelling people with mild cognitive impairment: Results on cognition in the 6-month intervention period of a randomized controlled trial (MCI-CCT study). *BMC Medicine*, 22, Article 472. <https://doi.org/10.1186/s12916-024-03647-x>
- Han, J. W., Oh, S. S., & Kim, H. S. (2017). Efficacy of the ubiquitous spaced retrieval-based memory advancement and rehabilitation training (USMART) program among patients with mild cognitive impairment: A randomized crossover clinical trial. *Alzheimer's Research & Therapy*, 9, Article 39. <https://doi.org/10.1186/s13195-017-0264-8>
- Hagovska, M., & Olekszyová, Z. (2016). Impact of the combination of cognitive and balance training on gait, fear and risk of falling and quality of life in seniors with mild cognitive impairment: A randomized controlled trial. *Geriatrics & Gerontology International*, 16, 1043–1050. <https://doi.org/10.1111/ggi.12593>
- Hagovska, M., & Olekszyová, Z. (2017). Comparison of two cognitive training programs with effects on functional activities and quality of life. *Research in Gerontological Nursing*, 10(4), 172–180. <https://doi.org/10.3928/19404921-20170524-01>
- Harvey, P., Kallestrup, P., & Czaja, S. (2022, November). *Using ecological momentary assessment to measure real-world effects of a combined computerized cognitive and functional skills training program in mild cognitive impairment* [Posterpräsentation]. Clinical Trials on Alzheimer's Disease (CTAD) Conference, San Francisco, CA, USA. <https://doi.org/10.14283/ipad.2022.97>
- Hyer, L., Sohnle, G., & Pitzer, L. (2016). Cognitive training program to improve working memory in older adults with mild cognitive impairment: A randomized controlled trial. *Clinical Gerontologist*, 39(5), 410–427. <https://doi.org/10.1080/07317115.2015.1120257>
- Lee, G., Yip, S., Man, D. W. K., et al. (2013). Evaluation of a computer-assisted errorless learning-based memory training program for patients with early Alzheimer's disease. *Clinical Interventions in Aging*, 8, 623–633. <https://doi.org/10.2147/CIA.S45726>

- Leow, Y., Rashid, N. L. A., Klainin-Yobas, P., Zhang, Z., & Wu, X. V. (2023). Effectiveness of mindfulness-based interventions on mental, cognitive outcomes and neuroplastic changes in older adults with mild cognitive impairment: A systematic review and meta-analysis. *Journal of Advanced Nursing*. <https://doi.org/10.1111/jan.1565>
- Li, H.-J., Xu, H., Xie, T.-T., et al. (2019). Computerized cognitive training for Chinese patients with mild cognitive impairment: A neuropsychological and fMRI study. *NeuroImage: Clinical*, 22, 101691. <https://doi.org/10.1016/j.nicl.2019.101691>
- Lim, C. E., Jung, S. K., Woo, J. H., et al. (2023). Effects of home-based serious game training (Brain Talk™) in the elderly with mild cognitive impairment: A randomized, single-blind, controlled trial. *Brain & NeuroRehabilitation*, 16(1), e4. <https://doi.org/10.12786/bn.2023.16.e4>
- Lin, R. S. Y., Su, J. J., Abu-Odah, H. O., & Bayuo, J. (2023). Effects of mindfulness-based interventions on neuropsychiatric symptoms and psychological well-being in people with subjective cognitive decline and mild cognitive impairment: A meta-analysis. *International Journal of Geriatric Psychiatry*, 38(8), e5986. <https://doi.org/10.1002/gps.5986>
- Lissek, J., Wolf, S., Winkler, J., et al. (2022). Go4cognition: Multimodal cognitive and physical training in older adults with mild cognitive impairment—A randomized controlled trial. *Journal of Alzheimer's Disease*, 89, 449–462. <https://doi.org/10.3233/JAD-220145>
- Lu, Q., Wang, Y., Qu, B., et al. (2024). Structural and functional projections of the nucleus basalis of Meynert and their changes after cognitive training in individuals with mild cognitive impairment. *CNS Neuroscience & Therapeutics*, 30, e70194. <https://doi.org/10.1111/cns.70194>
- Luck, T., Riedel-Heller, S. G., Kaduszkiewicz, H., Bickel, H., Jessen, F., Pentzek, M., Wiese, B., Kölsch, H., van den Bussche, H., & Abholz, H.-H. (2007). Mild cognitive impairment in general practice: Age-specific prevalence and correlate results from the German study on ageing, cognition and dementia in primary care patients (AgeCoDe). *Dementia and Geriatric Cognitive Disorders*, 24(4), 307–316.
- McMaster, M., Kim, S., Clare, L., Torres, S. J., Cherbuin, N., D'Este, C., & Anstey, K. J. (2020). Lifestyle risk factors and cognitive outcomes from the multidomain dementia risk reduction randomized controlled trial, Body Brain Life for Cognitive Decline (BBL-CD). *Journal of the American Geriatrics Society*, 68(11), 2629–2637. <https://doi.org/10.1111/jgs.16762>
- Ngandu, T., Lehtisalo, J., Solomon, A., Levälähti, E., Ahtiluoto, S., Antikainen, R., Bäckman, L., Hänninen, T., Jula, A., Laatikainen, T., et al. (2015). A 2-year multidomain intervention of diet, exercise, cognitive training and vascular risk monitoring versus control to prevent cognitive decline in at-risk elderly people (FINGER): A randomised controlled trial. *The Lancet*, 385(9984), 2255–2263.
- Nousia, A., Gkiatis, K., Kypouropoulos, S., et al. (2018). Beneficial effect of multidomain cognitive training on the neuropsychological performance of patients with early-stage Alzheimer's disease. *Neural Plasticity*, 2018, Article 2845176. <https://doi.org/10.1155/2018/2845176>
- Nousia, A., Gkiatis, K., Karkanas, N., et al. (2019). Beneficial effect of computer-based multidomain cognitive training in patients with mild cognitive impairment. *Applied Neuropsychology: Adult*. Advance online publication. <https://doi.org/10.1080/23279095.2019.1692842>

- Oliva, H. N. P., Machado, F. S. M., Rodrigues, V. D., Leão, L. L., & Monteiro-Júnior, R. S. (2020). The effect of dual-task training on cognition of people with different clinical conditions: An overview of systematic reviews. *IBRO reports*, 9, 24-31.
- Page, M. J., McKenzie, J. E., Bossuyt, P. M., Boutron, I., Hoffmann, T. C., Mulrow, C. D., ... Moher, D. (2021). The PRISMA 2020 statement: An updated guideline for reporting systematic reviews. *BMJ*, 372, n71. <https://doi.org/10.1136/bmj.n71>
- Park, S.-Y., & Hong, J. (2023). Personalized cognitive training using mental workload monitoring: A randomized controlled trial. *Brain & NeuroRehabilitation*, 16(3), e21. <https://doi.org/10.12786/bn.2023.16.e21>
- Patterson, M. D., Leonardo, J., Jabar, S. B., Rykov, Y. G., Gangwar, B. A., Yee, J., Kandiah, N., & Ng, K. P. (2022, November 29–December 2). *Effectiveness of digital-based multidomain intervention for mild cognitive impairment* [Conference poster]. 15th Clinical Trials on Alzheimer's Disease (CTAD) Conference, San Francisco, CA, United States. *The Journal of Prevention of Alzheimer's Disease*, 9 (Suppl. 1), S103–S104. <https://doi.org/10.14283/jpad.2022.97>
- Phatak, V. S., Smith, G. E., Locke, D., Shandera-Ochsner, A., Dean, P. M., Ball, C., Gutierrez, G., & Chandler, M. J. (2021). Computerized Cognitive Training (CCT) versus Yoga Impact on 12 Month Post Intervention Cognitive Outcome in Individuals with Mild Cognitive Impairment. *Brain Sciences*, 11(8). <https://doi.org/10.3390/brainsci11080988>
- Petersen, R. C., Lopez, O., Armstrong, M. J., Getchius, T. S., Ganguli, M., Gloss, D., Gronseth, G. S., Marson, D., Pringsheim, T., & Day, G. S. (2018). Practice guideline update summary: Mild cognitive impairment: Report of the Guideline Development, Dissemination, and Implementation Subcommittee of the American Academy of Neurology. *Neurology*, 90(3), 126–135.
- Poptsi, E., Kourtesis, P., Kosmidis, M. H., et al. (2019). A comparative single-blind randomized controlled trial with language training in people with mild cognitive impairment. *American Journal of Alzheimer's Disease & Other Dementias*, 34(3), 176–187. <https://doi.org/10.1177/1533317518813554>
- Priya, G., Kishan, M. M., Vanilakshmi, R., & Krishnan, G. (2024). Influence of auditory-based cognitive training on auditory resolution, executive function, and working memory skills in individuals with mild cognitive impairment: A pilot randomized controlled study. *F1000Research*, 13, 1022. <https://doi.org/10.12688/f1000research.152775.1>
- Savulich, G., Nicholas, J. M., McMorris, T., et al. (2017). Cognitive training using a novel memory game on an iPad in patients with amnesic mild cognitive impairment (aMCI). *International Journal of Neuropsychopharmacology*, 20(8), 624–633. <https://doi.org/10.1093/ijnp/pyx040>
- Sherman, D. S., Durbin, K. A., & Ross, D. M. (2020). Meta-analysis of memory-focused training and multidomain interventions in mild cognitive impairment. *Journal of Alzheimer's Disease*, 76(1), 399–421.
- Sherman, D. S., Mauser, J., Nuno, M., & Sherzai, D. (2017). The efficacy of cognitive intervention in mild cognitive impairment: A meta-analysis of outcomes on neuropsychological measures. *Neuropsychology Review*, 27, 440–484.
- Shin, S., Ahn, S., Jung, S., et al. (2020). Effects of process-based cognitive training on memory in the healthy elderly and patients with mild cognitive impairment: A randomized controlled trial. *Psychiatry Investigation*, 17(8), 751–761. <https://doi.org/10.30773/pi.2019.0225>

- Sims, J. R., Zimmer, J. A., Evans, C. D., Costa, D. C., Sparks, J., Ward, M., ... Mintun, M. A. (2023). Donanemab in early symptomatic Alzheimer disease: The TRAILBLAZER-ALZ 2 randomized clinical trial. *JAMA*, *330*(6), 512–527. <https://doi.org/10.1001/jama.2023.13239>
- Uyar Parlak, S. S., Gümüştü, B., Süslü, M., et al. (2024). Development of mobile compatible software for cognitive-communication disorder in individuals with Alzheimer's disease: A randomized controlled trial. *International Journal of Language & Communication Disorders*, *59*, 234–254. <https://doi.org/10.1111/1460-6984.12941>
- Van Dyck, C. H., Swanson, C. J., Aisen, P., Bateman, R. J., Chen, C., Gee, M., Kanekiyo, M., Li, D., Reyderman, L., & Cohen, S. (2023). Lecanemab in early Alzheimer's disease. *New England Journal of Medicine*, *388*(1), 9–21.
- Wu, Y.-T., Clare, L., Hindle, J. V., Nelis, S. M., Martyr, A., Matthews, F. E., & the IDEAL study team. (2018). Dementia subtype and living well: Results from the Improving the Experience of Dementia and Enhancing Active Life (IDEAL) study. *BMC Medicine*, *16*(1), 1–9.
- Wu, P., Huang, D., Wen, Z., et al. (2023). Effects of computerized cognitive training on structure–function coupling and topology of multiple brain networks in people with mild cognitive impairment: A randomized controlled trial. *Alzheimer's Research & Therapy*, *15*, Article 158. <https://doi.org/10.1186/s13195-023-01292-9>
- Wu, T., Wang, J., Zhang, H., et al. (2023). Computerized cognitive training enhances episodic memory by down-modulating posterior cingulate–precuneus connectivity in older persons with mild cognitive impairment. *The American Journal of Geriatric Psychiatry*, *31*(10), 820–832. <https://doi.org/10.1016/j.jagp.2023.04.008>
- Yang, H.-L., Chu, H., Miao, N.-F., et al. (2019). The construction and evaluation of executive attention training to improve selective attention, focused attention, and divided attention for older adults with mild cognitive impairment: A randomized controlled trial. *The American Journal of Geriatric Psychiatry*, *27*(11), 1257–1267. <https://doi.org/10.1016/j.jagp.2019.05.017>
- Yang, H.-L., Chu, H., Yeh, M. Y., et al. (2019). Development and effectiveness of virtual interactive working memory training for older people with mild cognitive impairment: A single-blind randomized controlled trial. *Age and Ageing*, *48*(4), 519–525. <https://doi.org/10.1093/ageing/afz029>
- Zhang, H., Huntley, J., Bhome, R., Benjamin, H., Cahill, J., Gould, R. L., Huali, W., Yu, X., & Howard, R. (2019). Effect of computerised cognitive training on cognitive outcomes in mild cognitive impairment: A systematic review and meta-analysis. *BMJ Open*, *9*(8), e027062.
- Zhao, X., Ji, C., Zhang, C., Huang, C., Zhou, Y., & Wang, L. (2023). Transferability and sustainability of process-based multi-task adaptive cognitive training in community-dwelling older adults with mild cognitive impairment: A randomized controlled trial. *BMC Psychiatry*, *23*, Article 418. <https://doi.org/10.1186/s12888-023-04917-3>
- Zhuang, J.-P., Fang, R., Feng, X., et al. (2013). The impact of human-computer interaction-based comprehensive training on the cognitive functions of cognitively impaired elderly individuals in a nursing home: A randomized controlled trial. *Journal of Alzheimer's Disease*, *36*, 245–251. <https://doi.org/10.3233/JAD-130158>

Zuschnegg, J., Ropele, S., Opriessnig, P., et al. (2025). The effect of tablet-based multimodal training on cognitive functioning in Alzheimer's disease: A randomized controlled trial. *PLOS ONE*, 20(8), e0329931. <https://doi.org/10.1371/journal.pone.0329931>